



Demand more. Choose Foster

BFT52 Blast Chiller - Freezer Cabinet

BFT52




Temperature



Blast Chiller - Freezer 70/-18 °C

Dimensions (mm)



Capacity

52 Chilling (Kg)

52 Freezing (Kg)

Packed Weight

190 KG

Features & Benefits

The Foster tray loading blast chiller range provides the ideal way to ensure quality and food safety is maximised in every kitchen, large or small

- Dedicated 52Kg blast freezer (can also operate as a blast chiller as required)
- Exceeding UK and European food safety requirements
- High grade 304 exterior & interior – the 'gold standard' in performance finishes
- Intuitive touch control panel – just press and go!

- A range of intelligent chilling & freezing programmes to ensure foods are chilled safely and that quality is maintained

External Finish	
304 Stainless Steel	Standard
Internal Finish	
304 Stainless Steel	Standard
Shelving	
Additional Shelf	Option
Stainless Steel Gastronorm 1/1 Shelf	Option
Nylon Coated Gastronorm 1/1 Shelf	Option
Bakery Tray - 60x40	Option
Base Fittings	
80mm Castors	Standard
Legs	Option

Doors	
Solid Full	Standard
Hinged - Right Hand	Standard
Hinged - Left Hand	Option
Refrigeration	
Integral	Standard
Remote - less condensing unit	Option
R404a	Standard
Drain Required?	No

Electrical Data & Service Information	
400 Volts	Standard
50Hz	Standard
3 Phase	Standard
Thermal Heat Rejection (W)	2,775
Noise (dBa @ 1m)	TBC
Fuse Required (A)	10 amp
Product Extras	
Door Pull Handle	Standard
Hold Facility	Standard
Temperature Probe	Standard
Hardwired Logging System Interface	Option

Footnotes

- Freezing Capacity: 52 KG, Chilling Capacity: 52 KG. Chilling capacity 70oC to 3oC in less than 90 minutes within specifications, entry temperature up to 90oC for chilling. Freezing capacity from + 70oC to -18oC in less than 240 minutes within specifications.
- *Please add 55mm to depth for spacer

Foster-Fridge.com

Telephone: **01582 865050** Facsimile: **01582 645947** Email: info@foster-fridge.com

**FOSTER
GREEN
PROCUREMENT**



Demand more. Choose Foster