

Product Code: EP700L 10-108 EcoPro G2 600 Litre Upright Freezer Cabinet



Features & Benefits

- All new thicker and more robust cabinet design with advanced thermal efficiency and market leading capacity making your money go further
- New 'smartphone style' touch sensitive hidden-until-lit control panel with unique high visibility temperature display combines sophistication with functionality
- All-new ergonomic door and handle design for ease of opening and cleaning
- Designed using high technology: 'Fluid Food-Fresh Dynamics' modelling, the new and improved advanced Foster Circulair II air distribution system maximises efficient operation even when shelves are fully loaded
- Brand-new refrigeration system designed to be the most technologically advanced and energy efficient yet
- Features Foster's new award-winning +stayclear condenser, revolutionising the effective operation of your refrigeration, ensuring your equipment works more efficiently for longer


Shelving		Base Fittings		Doors	
3 shelves (GN2/1)	Standard	Castors 80mm	Standard	Solid	Standard
Additional S/S Trayslides	Option	Legs 150mm	Option	Left Hand Hinged Door	Option
Additional GN2/1 Shelf	Option	Electrical & Service Data		Product Extras	
Refrigeration		Connect Load	510	Helicoil Mains Lead	Option
R290 - Energy Efficient	Standard	230/50/1	Standard	Energy	
Integral Refrigeration System	Standard	220/60/1 Electrical Supply	Option	Lileigy	
Less Condensing Unit	Option	Fuse Required (A)	10	kWh (24 hours)	4.61
Specification		Refrigerant Charge (kg)	0.120	AEC	1682.65
3peemeation		Finish		Nett Volume	482.3
Freezer -18/-21°C	Standard	1111311		Energy Grade	C
Width (mm)	700	304 s/s	Standard	Global Warming Potential	3
Depth (mm)	820	304 S/S back for island sitting	Option	Energy Efficiency Index	43.72
Height (mm)	2080				
Unpacked weight (Kgs)	121				
Packed weight (Kgs)	132.6				
Gross Volume (Ltr)	600				

Footnotes

- 150mm castors are not available if product is supplied less condensing unit
- Adequate airflow and service space must be kept above the top of cabinet: 310mm
- Depth with door open is 1500mm
- Decibel rating measured 1m high from the floor and 1m out from the cabinet

Energy Performance Data and information







Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













Energy Quality Value

Design

After Care

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.