



Product Code: FFC3-1 35-103

Foster FlexDrawer Counter (variable temperature) with 1 Drawer



Features & Benefits

- Change drawer temperature from fridge to freezer at the touch of a button - simple
- High quality 304 s/s finish throughout meaning quality is assured
- Per Drawer 3 x GN 1/1 150mm deep pan capacity maximises available storage space
- Works efficiently in hot kitchens, operating in ambients exceeding ISO Climate Class 5 (43°C ambient)
- User friendly controls with LED Temp display
- Lockable drawers for maximum security
- Automatic hot gas defrost

Refrigeration		Electrical & Service Data		Product Extras	
R290 - Energy Efficient	Standard	230/50/1	Standard	Extended worktop	Option
Specification		Fuse Required (A)	10	Roller Set (reduces height by 25mm)	Option
Refrigerator +1/+4°C and/or Freezer -18/-21°C	Standard	Refrigerant Charge (kg)	0.065	Cekon Lead	Option
Width (mm)	1100	Finish		Pan spacer support	Option
Depth (mm)	700	304 s/s	Standard	Energy	
Height (mm)	600			AEC	1087.116
				Nett Volume	76
				Energy Grade	C
				Global Warming Potential	3
				Energy Efficiency Index	38.50


Footnotes

- Max GN pan depth: 150mm
- Adequate airflow must be kept around the counter: 150mm
- Add 20mm for depth if product is to be wall sited. Stopper required for air circulation - detachable if not wall sited.

Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd
Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU
Tel: 0843 216 8800 Fax: 0843 216 4700
Registered in England No. 00559693
VAT No. GB 792 4414 16



Master data version: Ver.01.0014A8

Generated: 31/05/2019

Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)