



Product Code: XR415H 33-111

xtra by Foster slimline refrigerator



Features & Benefits

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- In stock and available now for immediate shipping
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

Doors

Solid	Standard
Left Hand Hinged Door	Option

Specification

Refrigerator +3/+5°C	Standard
Width (mm)	600
Depth (mm)	650
Height (mm)	1875
Gross Volume (Ltr)	410

Refrigeration

R290 - Energy Efficient	Standard
--------------------------------	----------

Finish

s/s ext & alu int	Standard
------------------------------	----------

Electrical & Service Data

Connect Load	240
230/50/1	Standard
220/60/1 Electrical Supply	Option
Fuse Required (A)	10

Energy

AEC	873.31
Nett Volume	284.8
Energy Grade	E
Energy Efficiency Index	81.09


Footnotes

- Extra shelf and pair of trayslides available as an option
-

Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd
Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU
Tel: 0843 216 8800 Fax: 0843 216 4700
Registered in England No. 00559693
VAT No. GB 792 4414 16



Master data version: Ver.01.0014A8

Generated: 31/05/2019

Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.