



Product Code: HR360 13-120

Refrigerated Undercounter Cabinet with Glass Door (no light)



Features & Benefits

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- Roller castors to rear for ease of movement
- Integrated door lock for security
- High quality magnetic door gasket
- Operate in ambient up to 25°C (ISO Climate Class 3)

Shelving

Nylon Coated Shelf Option

Base Fittings

Levelling Bolts Standard

Doors

Glass Standard

Refrigeration

R290 - Energy Efficient Standard

Integral Refrigeration System Standard

Electrical & Service Data

230/50/1 Standard

Fuse Required (A) 10

Finish

s/s ext & alu int Standard

Energy

kWh (24 hours) 2.76

AEC 754.20

Nett Volume 284.7

Energy Grade B

Energy Efficiency Index 29.96

Specification

Refrigerator +3/+5°C Standard

Width (mm) 1217

Depth (mm) 780

Height (mm) 824

Gross Volume (Ltr) 360


Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for ventilation, ensure that 50mm clearance is allowed above and around the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet

Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd
Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU
Tel: 0843 216 8800 Fax: 0843 216 4700
Registered in England No. 00559693
VAT No. GB 792 4414 16



Master data version: Ver.01.0014AB

Generated: 31/05/2019

Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.