

## Product Code: FFC4-2 35-105

# Foster FlexDrawer Counter (variable temperature) with 2 Drawers



### Features & Benefits

- Change drawer temperature from fridge to freezer at the touch of a button simple
- High quality 304 s/s finish throughout meaning quality is assured
- Per drawer 2 x GN 1/1 150mm deep pan. Capacity maximises available storage space
- Fully removable robust drawer bins for ease of cleaning
- Works efficiently in hot kitchens, operating in ambients exceeding ISO Climate Class 5 (43°C ambient)
- User friendly controls with LED Temp display
- Lockable drawers for maximum security
- Automatic hot gas defrost


Refrigeration		Electrical & S	ervice Data	Product Extras	
R290 - Energy Efficient	Standard	Required 2 x	plug sockets (13 amp)	Stainless steel rear	Option
Specification		Connect Load	250	Biscuit Lid (reduces height by 18mm)	Option
		230/50/1	Standard		
Refrigerator +1/+4°C and/or Freezer -18/-21°C	Standard	Fuse Required (A)	10	Roller Set (reduces height by 25mm)	Option
Width (mm)	775	Refrigerant Charge (kg	<b>9</b> ) 0.065	Cekon Lead	Option
Depth (mm)	700	Fini	sh	Pan spacer support	Option
Height (mm)	900	304 s/s	Standard	Energy	
				AEC	1029.30
				Nett Volume	48.0
				Energy Grade	C
				Global Warming Potential	3
				Energy Efficiency Index	38.69

## **Footnotes**

- Max GN pan depth: 150mm
- Adequate airflow must be kept around the counter: 150mm
- FFC4-2 requires two leads
- Add 20mm for depth if product is to be wall sited. Stopper required for air circulation detachable if not wall sited.

## **Energy Performance Data and information**







#### **Application**

This appliance is intended for use in ambient temperatures up to {1}°C

#### Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

#### Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













Quality Value Design Hygiene

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.