



# Product Code: FSL400L 11-160

## Slimline 400 Litre Upright Freezer Cabinet

---



### Features & Benefits

---

- Quality commercial refrigeration with a 600mm width and small footprint - ideal where space is at a premium in the kitchen
- Robust stainless steel exterior finish with 304 stainless steel door
- Forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- When space is a prime concern, Slimline Cabinets provide the ideal storage solution
- LED electronic temperature display for accurate control and clear visual reference

## Shelving

**Nylon Coated Shelf** Option

## Refrigeration

**R290 - Energy Efficient** Standard

**Integral Refrigeration System** Standard

## Finish

**s/steel ext, 304 s/s door & alu int** Standard

## Base Fittings

**Remote Refrigeration System** Option

**Castors 80mm** Standard

## Electrical & Service Data

**Connect Load** 450

**230/50/1** Standard

**Fuse Required (A)** 10

## Energy

**AEC** 2581.14

**Nett Volume** 267.8

**Energy Grade** F

**Energy Efficiency Index** 92.46

## Doors

**Solid** Standard

**Left Hand Hinged Door** Option

## Specification

**Freezer -18/-21°C** Standard

**Width (mm)** 600

**Depth (mm)** 705

**Height (mm)** 1900

**Unpacked weight (Kgs)** 86

**Packed weight (Kgs)** 99.41

**Gross Volume (Ltr)** 400


## Footnotes

- Bottom mounted system draws air from the cooler part of the kitchen ensuring lower running costs
- Forced air refrigeration for efficient operation, even temperature distribution and fast recovery
- Automatic Defrost for hassle-free operation
- Electronic temperature display for accurate control
- Delivers the reliability and performance you would expect from a Foster at a highly competitive price

# Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd  
Oldmeadow Road, KING'S LYNN, Norfolk PE30 4JU  
Tel: +44(0) 1553 891322  
Registered in England No. 00559693  
VAT No. GB 792 4414 36



## Application

This appliance is intended for use in ambient temperatures up to {1}°C

## Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.