

# Product Code: LL2/4H 14-103

## Low Level LL2/4H Refrigerated Counter



### Features & Benefits

- Ideal for quick service restaurants as it provides refrigerated storage at the cooking area
- Designed to carry up to 300kg (evenly spread) invaluable to any quick service cook off station
- Digital microprocessor controller and illuminated on/off switch
- Air distribution system ensures temperature is maintained throughout the counter
- Robust build with heavy duty handles and fixings to withstand constant usage
- Fitted with drawer locks and lockable castors
- Max pan depth is 100mm

Base Fittings		
Castors 80mm	Standard	
Legs 100mm	Option	
Electrical & Service	e Data	
Connect Load	430	
230/50/1	Standard	
Fuse Required (A)	10	
Refrigerant Charge (kg)	0.180	
Fnerav		

Energy	
AEC	763.872
Nett Volume	148.79436
Energy Grade	C
<b>Global Warming Potential</b>	1430
Energy Efficiency Index	35.20

#### Doors

Solid

15	
	Standard

Specification		
Refrigerator +1/+4°C	Standard	
Width (mm)	1900	
Depth (mm)	800	
Height (mm)	645	
Unpacked weight (Kgs)	111	
Packed weight (Kgs)	134.1	
Gross Volume (Ltr)	279	

Refrigeration	
R134a - Industry Standard	Standard
Integral Refrigeration System	Standard
Finish	
304 s/s	Standard
Worktop	Standard

### Footnotes

• Decibel rating measured 1m high from the floor and 1m from the cabinet

### **Energy Performance Data and information**

Generated: 31/05/2019



Foster Refrigerator- a division of ITW Ltd Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU Tel: 0843 216 8800 Fax: 0843 216 4700 Registered in England No. 00559693

VAT No. GB 792 4414 16

### Y UA **ENERG** IE IA Foster Refrigerator LL2/4H (14-103) С

#### Application

This appliance is intended for use in ambient temperatures up to {1}°C

#### Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

#### Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies



Master data version: Ver.01.0014AB



All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.