

Product Code: LR240 13-125

Space Saver Freezer Undercounter Cabinet



Features & Benefits

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- Roller castors to rear for ease of movement
- Integrated door lock for security
- High quality magnetic door gasket
- Operate in ambient up to 40°C
- GN1/1 Undercounter storage on a small footprint

Shelving		Base Fittings		Doors	
Additional GN1/1 Shelf	Option	Castors - Rear Fixed	Standard	Solid	Standard
Refrigeration		Levelling Bolts	Standard	Left Hand Hinged Door	Option
R290 - Energy Efficient	Standard	Electrical & Service Data		Specification	
ntegral Refrigeration System	Standard	Connect Load	530	Freezer -18/-21°C	Standard
Finish		230/50/1	Standard	Width (mm)	870
		Fuse Required (A)	10	Depth (mm)	745
304 s/s ext & alu int	Standard	Refrigerant Charge (kg)	0.290	Height (mm)	895
		Energy		Unpacked weight (Kgs)	86.5
		Linergy		Packed weight (Kgs)	100.5
		AEC	2728.545333	Gross Volume (Ltr)	240
		Energy Grade	G		
		Global Warming Potential	3922		
		Energy Efficiency Index	114.64		

Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for ventilation, ensure that 50mm clearance is allowed above and around the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet

Energy Performance Data and information



Foster Refrigerator- a division of ITW Ltd Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU Tel: 0843 216 8800 Fax: 0843 216 4700 Registered in England No. 00559693 VAT No. GB 792 4414 16



Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies



All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.